

# BYK-399

Silicone-free surface additive for solvent-borne coatings to improve the leveling and for a moderate reduction in surface tension. Has a defoaming effect at higher doses.

## Product Data

### Composition

Surface active polymer, silicone-free

### Typical Properties

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Active substance: 100 %

Density (20 °C): 1.07 g/ml

### Food Contact Legal Status

For the current food contact legal status, please contact our product safety department or visit [www.byk.com](http://www.byk.com) for further information.

## Applications

### Coatings Industry

#### Special Features and Benefits

The additive provides outstanding leveling properties and is suitable for all gloss levels. It has no impact on gloss and haze. It causes a slight reduction in the surface tension of the coating, thereby improving the substrate wetting properties and having a slight anti-cratering effect. BYK-399 is easily recoatable, has no foam stabilizing effect and even has defoaming properties at high doses (0.7 %). The additive is silicone-free and fluorine-free.

#### Recommended Use

The additive is very compatible and is recommended for all solvent-borne 1K and 2K systems as well as for baking systems.

#### Recommended Levels

0.05-1 % additive (as supplied) based on the total formulation.

The above recommended levels can be used for orientation. Optimal levels are determined through a series of laboratory tests.

#### Incorporation and Processing Instructions

The additive can be incorporated during any stage of the production process, including post-addition.

## BYK-399

Data Sheet  
Issue 08/2013



Additive Guide



Google play

### BYK-Chemie GmbH

P.O. Box 10 02 45  
46462 Wesel  
Germany  
Tel +49 281 670-0  
Fax +49 281 65735

[info@byk.com](mailto:info@byk.com)  
[www.byk.com/additives](http://www.byk.com/additives)

ANTI-TERRA®, BYK®, BYK®-DYNWET®, BYK®-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, DISPERBYK®, DISPERPLAST®, LACTIMON®, NANOBYK®, PAPERBYK®, SILBYK®, VISCOBYK®, and Greenability® are registered trademarks of BYK-Chemie. AQUACER®, AQUAMAT®, AQUATIX®, CERACOL®, CERAFAK®, CERAFLLOUR®, CERAMAT®, CERATIX®, HORDAMER®, and MINERPOL® are registered trademarks of BYK-Cera.

SCONA® is a registered trademark of BYK Kometra.

This information is given to the best of our knowledge. Because of the multitude of formulations, production, and application conditions, all the above-mentioned statements have to be adjusted to the circumstances of the processor. No liabilities, including those for patent rights, can be derived from this fact for individual cases.

This issue replaces all previous versions – Printed in Germany