Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

Article-No.: 15641-029 Revision Date: 19.01.2016



Replaces version from: 12.01.2015 Print date: 20.01.2016

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

Version: 3.0 /en

Commercial Product Name FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS 10

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses printing ink

1.3 Details of the supplier of the safety data sheet

Address Follmann GmbH & Co. KG

> Postfach 12 63 D-32372 Minden

Telephone: +49 (571) 93 39 -0 FAX: +49 (571) 93 39 -300

Responsible Department Environmental Department +49 (571) 9339-176

E-mail (competent person) sicherheitsdatenblatt@follmann.de

1.4 Emergency telephone number

Emergency telephone number Outside USA: -001 703 527 3887 (D813)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No. 1272/2008

This product is classified as not hazardous according to regulation (EC)

1272/2008 [CLP].

2.2 Label elements

No. 1272/2008 [CLP]

Labelling according to Regulation (EC) The product does not have to be labelled according to Regulation (EC) No.

1272/2008 [CLP].

*Further information EUH208: Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol; 1,2-

benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

3.2 Mixture

Chemical characterization

Acrylat

Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concentration
2,4,7,9-Tetram- ethyldec-5-in-4,7-diol	CAS No.: 126-86-3 EC-No.: 204-809-1 REACH No.:	Chronic 3; H412	0.1 – 1.0 % by weight
1,2-benzisothiazol-3(2H)- one	01-2119954390-39-xxxx CAS No. : 2634-33-5 EC-No. : 220-120-9 Index-No. : 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	< 0.01 % by weight

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

10

Article-No.: 15641-029 Revision Date: 19.01.2016

Replaces version from: 12.01.2015 Version: 3.0 /en Print date: 20.01.2016



SECTION 4: First aid measures

4.1 Description of first aid measures

General advice Move out of dangerous area. Take off all contaminated clothing immediately.

Do not leave the victim unattended. Show this safety data sheet to the doctor

in attendance.

In case of skin contact Wash off immediately with soap and plenty of water while removing all con-

taminated clothes and shoes. If skin irritation occurs, seek medical advice/at-

tention.

In case of eye contact In the case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

If swallowed Rinse mouth.Do NOT induce vomiting.Call a physician immediately.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2), Foam, Water spray, Dry powder

Extinguishing media which must not High volume water jet

be used for safety reasons

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, its combustion products, or

released gases

Hazardous decomposition products formed under fire conditions. Exposure

to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for

firefighting

In the event of fire, wear self-contained breathing apparatus.

Additional information on firefight-

ing

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Do not allow run-off from fire fighting to

enter drains or water courses. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Personal precautions

6.2 Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface

water or sanitary sewer system. Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, uni-

versal binder, sawdust). Clean contaminated surface thoroughly.

Treat recovered material as described in the section "Disposal considera-

tions".

6.4 Reference to other sections

Reference to other sections Disposal considerations See also section 13

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS



Article-No. : 15641-029 Revision Date : 19.01.2016

Replaces version from : 12 01 2015

Replaces version from: 12.01.2015 Print date: 20.01.2016

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle and open container with care. Avoid contact with skin and eyes.

Precautions Smoking, eating and drinking should be prohibited in the application area.

For personal protection see section 8. Observe label precautions.

Advice on protection against fire

and explosion

Version: 3.0 /en

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

Keep in properly labelled containers. Containers which are opened must be

quirements carefully resealed and kept upright to prevent leakage.

Storage specifications Protect from frost.

TRGS 510 12

Recommended storage temperature 5 - 25 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

2,4,7,9-Tetramethyldec-5-in-4,7-diol

DNEL

Value	Target group	Exposure route	Exposure frequency	Source
1,5 mg/kg	Workers	Oral	Short-term effects sys-	100
			temic	
0,5 mg/kg	Workers	Oral	Long term effects sys-	100
			temic	
5,28 mg/m ³	Workers	inhale	Short-term effects Lo-	100
			cal	
1,76 mg/m ³	Workers	inhale	Long term effects sys-	100
			temic	

Source: 100 - Firmendaten

PNEC

Value	Target group	Exposure route	Source
0,04 mg/l	Environment	freshwater	100
0,004 mg/l	Environment	marine water	100
0,4 mg/l	Environment	Intermittent release.	100
7 mg/l	Environment	wastewater treatment plant	100
0,32 mg/kg	Environment	freshwater sediment	100
0,032 mg/kg	Environment	marine sediment	100
0,028 mg/kg	Environment	Soil	100

Source: 100 - Firmendaten

8.2 Exposure controls

exceeded and/or in case of product release (dust).

Note: Should no job-related limit values are indicated, the product, which a monitoring exposure limit is allocated, do not contains ingredients in relevant

concentrations.

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

10

Article-No.: 15641-029 Revision Date: 19.01.2016

Revision Date: 19.01.2016

Version: 3.0 /en

Replaces version from: 12.01.2015

Print date: 20.01.2016

Hand protection Protective gloves complying with EN 374.Please observe the instructions re-

garding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and

the contact time.

Suitable material : Nitriles

Unsuitable material : woven fabric, Leather gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment. Long sleeved clothing

General protective and hygiene

measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. Use protective skin cream before handling the

product. Avoid contact with the skin and the eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form Liquid
Colour milky

Odour characteristic

pH 7 - 9

Melting point [°C] / Freezing point

[°C]

ca.0 °C

Boiling point [°C] approx. $100 \, ^{\circ}$ C Evaporation rate [kg/(s*m²)] not determined

Vapour pressure [kPa] 123 hPa Temperature : 50 °C

Vapour density not determined Density $[g/cm^3]$ 0,9 - 1,2 g/cm^3

Water solubility [q/l]

Remarks: miscible

Partition coefficient n-octanol /wa-

ter (log P O/W)

not determined

Autoignition temperature [°C] not determined Explosive properties Not relevant

Oxidising properties Not relevant

9.2 Other information

Flow time [s] 40 – 50 sec

Temperature: 20 °C

Measuring method : DIN cup 4 mm

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

10

Article-No.: 15641-029 Revision Date: 19.01.2016

Version: 3.0 /en



Replaces version from: 12.01.2015 Print date: 20.01.2016

SECTION 10: Stability and reactivity

10.4 Conditions to avoid

Conditions to avoid None under normal processing.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

2,4,7,9-Tetramethyldec-5-in-4,7-diol

Oral toxicity [mg/kg]	Test criterion	Test species	Source
4600 mg/kg	LD50	rat	100

Source: 100 - Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Duration	Source
>2001 mg/kg	LD50	rat	24h	100

Source: 100 - Firmendaten

Inhalative toxicity [mg/	Test criterion	Test species	Exposure duration	Source
1]				
>20 mg/l	LC50	rat	1 hour	100

Source: 100 - Firmendaten

Irritant effect on eyes Causes serious eye irritation.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Oral toxicity [mg/kg]	Test criterion	Test species	Source
1193 mg/kg	LD50	rat	100

Source : 100 - Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
4115 mg/kg	LD50	rat	100

Source: 100 - Firmendaten

Irritant effect on skin Skin irritation

Irritant effect on eyes Risk of serious damage to eyes.

Sensitization May cause sensitization by skin contact.

Carcinogenic effects no data available

Mutagenicity no data available

Reproduction toxicity no data available

11.2 Additional information

Other information (chapter 11.) No toxicology information is available.

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

10

Article-No.: 15641-029 Revision Date: 19.01.2016



Replaces version from: 12.01.2015 Print date: 20.01.2016

SECTION 12: Ecological information

12.1 Toxicity

Version: 3.0 /en

Hazardous ingredients

2,4,7,9-Tetramethyldec-5-in-4,7-diol

Toxicity to fish [mg/l]	Test criterion	Test species	Exposure duration	Source
36 mg/l	LC50	Pimephales promelas	96 h	100
		(fathead minnow)		
42 mg/l	LC50	Cyprinus carpio (Carp)	96 h	100

Source: 100 - Firmendaten

Toxicity to daphnia	Test criterion	Test species	Exposure duration	Source
[mg/l]				
91 mg/l	EC 50	Daphnia magna (Water	48 h	100
		flea)		

Source: 100 - Firmendaten

Toxicity to algae [mg/l]	Test criterion	Test species	Exposure duration	Source
82 mg/l	EC 50	Selenastrum capricor-	72 h	100
		nutum (green algae)		

Source: 100 - Firmendaten

Mobility

Mobility

No information available.

1,2-BENZISOTHIAZOL-3(2H)-ONE

Toxicity to fish [mg/l]	Test criterion	Test species	Exposure duration	Source
2,18 mg/l	LC50	Oncorhynchus mykiss	96h	72
		(rainbow trout)		

Source: 72 – Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung Kennzeichnung und Verpackung von Stoffen und Gemischen (Tab. 3.1)

Toxicity to daphnia	Test criterion	Test species	Exposure duration	Source
[mg/l]				
2,94 mg/l	EC 50	Daphnia magna (Water	48 h	100
		flea)		

Source: 100 - Firmendaten

Toxicity to algae [mg/l]	Test criterion	Test species	Exposure duration	Source
0,11 mg/l	ErC50	Pseudokirchneriella	72 h	100
		subcapitata		

Source: 100 - Firmendaten

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other adverse effects

Further information on ecology

We have no quantitative data concerning the ecological effects of this product.

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS

10

Article-No. : 15641-029

Revision Date : 19.01.2016

Version : 3.0 /en

Replaces version from : 12.01.2015

Print date : 20.01.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations According to the European Waste Catalogue, Waste Codes are not product

specific, but application specific. The following Waste Codes are only sugges-

tions:

Waste Code 08 01 12: waste paint and varnish other than those mentioned in 08 01 11

08 03 13: waste ink other than those mentioned in 08 03 12

Uncleaned empty packaging -

-

SECTION 14: Transport information

	*Land transport ADR/RID	*Marine transport IMDG	*Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the	Non dangerous good	Non dangerous good IATA	Non dangerous good IATA
goods			
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			
14.3 Transport hazard	Not applicable.	Not applicable.	Not applicable.
class(es)			
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental haz-	Not applicable.	Not applicable.	Not applicable.
ards			

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Not relevant

Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations Additionally, observe any national regulations!

SECTION 16: Other information

Relevant H-phrases EUH208: Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol; 1,2-

benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

H302: Harmful if swallowed. H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage. H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

Skin Sens.: Skin sensitization

Aquatic Chronic: Hazardous to the aquatic environment

Acute Tox.: Acute toxicity Skin Irrit.: Skin irritation

Aquatic Acute: Hazardous to the aquatic environment

Modifications since last version Modifications of the previous version are denoted with an asterisk (*).

Commercial Product Name: FS 10 - 9072 TD LV BINDER FOLCO AQUASCREEN FS



10

Article-No. : 15641-029 Revision Date : 19.01.2016 Version : 3.0 /en

Replaces version from : 12.01.2015 Print date : 20.01.2016

sheet

Environmental Department

Further information Full text of R-phrases referred to under sections 2 and 3

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.