

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

**FOLMANN**

Replaces version from : 13.04.2016

Print date : 11.11.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Commercial Product Name FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

\*Relevant identified uses printing ink

### 1.3 Details of the supplier of the safety data sheet

Address Follmann GmbH & Co. KG  
Postfach 12 63  
D-32372 Minden  
Telephone : +49 (571) 93 39 -0  
FAX : +49 (571) 93 39 -300

Responsible Department Environmental Department +49 (571) 9339-176

E-mail (competent person) sicherheitsdatenblatt@follmann.de

### 1.4 Emergency telephone number

Emergency telephone number Outside USA: -001 703 527 3887 (D813)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 This product is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] The product does not have to be labelled according to Regulation (EC) No. 1272/2008 [CLP].

### \*Further information

EUH208: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210: Safety data sheet available on request.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixture

Chemical characterization Acrylat

### Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concentration
1,2-benzisothiazol-3(2H)-one	CAS No. : 2634-33-5 EC-No. : 220-120-9 Index-No. : 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	< 0.01 % by weight

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice Move out of dangerous area. Take off all contaminated clothing immediately. Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance.

## Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

**FOLMANN**

Replaces version from : 13.04.2016

Print date : 11.11.2016

In case of skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation occurs, seek medical advice/attention.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

Suitable extinguishing media                      Carbon dioxide (CO<sub>2</sub>), Foam, Water spray, Dry powder

Extinguishing media which must not be used for safety reasons                      High volume water jet

#### **5.2 Special hazards arising from the substance or mixture**

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases                      Hazardous decomposition products formed under fire conditions. Exposure to decomposition products may be a hazard to health.

#### **5.3 Advice for firefighters**

Special protective equipment for firefighting                      In the event of fire, wear self-contained breathing apparatus.

Additional information on firefighting                      The product itself does not burn.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Do not allow run-off from fire fighting to enter drains or water courses.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions                      Use personal protective equipment.

#### **6.2 Environmental precautions**

Environmental precautions                      Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

#### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up                      Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated surface thoroughly.  
Treat recovered material as described in the section "Disposal considerations".

#### **6.4 Reference to other sections**

Reference to other sections                      Disposal considerations See also section 13

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Advice on safe handling                      Handle and open container with care. Avoid contact with skin and eyes.

Precautions                      Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8. Observe label precautions.

Advice on protection against fire and explosion                      No special protective measures against fire required.

## Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

**FOLMANN**

Replaces version from : 13.04.2016

Print date : 11.11.2016

### 7.2 Conditions for safe storage, including any incompatibilities

Storage space and container requirements	Keep in properly labelled containers. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage specifications	Protect from frost.
TRGS 510	12
Recommended storage temperature	5 - 25 °C

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### 8.2 Exposure controls

Respiratory protection	Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Note: Should no job-related limit values are indicated, the product, which a monitoring exposure limit is allocated, do not contains ingredients in relevant concentrations.
Hand protection	Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  Unsuitable material : woven fabric, Leather gloves Suitable material : Nitriles
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear suitable protective equipment. Long sleeved clothing
General protective and hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Avoid contact with the skin and the eyes.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	Liquid
Colour	milky
Odour	characteristic
*pH	7,0 - 8,0
*Melting point [°C] / Freezing point [°C]	approx. 0 °C
*Boiling point [°C]	approx. 100 °C
Evaporation rate [kg/(s*m <sup>2</sup> )]	not determined
Vapour pressure [kPa]	123 hPa
Temperature :	50 °C
Vapour density	not determined

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

**FOLMANN**

Replaces version from : 13.04.2016

Print date : 11.11.2016

\*Density [g/cm<sup>3</sup>] approx. 1,0 – 1,2 g/cm<sup>3</sup>

Water solubility [g/l]

Remarks : miscible

Partition coefficient n-octanol /water (log P O/W) not determined

Autoignition temperature [°C] not determined

Explosive properties Not relevant

Oxidising properties Not relevant

## 9.2 Other information

\*Flow time [s] approx. 80 – 100 sec

Temperature : approx. 20 °C

Measuring method : DIN-cup 4 mm

## SECTION 10: Stability and reactivity

### 10.4 Conditions to avoid

Conditions to avoid None under normal processing.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Hazardous ingredients

##### 1,2-BENZISOTHIAZOL-3(2H)-ONE

Oral toxicity [mg/kg]	Test criterion	Test species	Source
1193 mg/kg	LD50	rat	100

Source : 100 – Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
4115 mg/kg	LD50	rat	100

Source : 100 – Firmendaten

Irritant effect on skin Skin irritation  
Irritant effect on eyes Risk of serious damage to eyes.  
Sensitization May cause sensitization by skin contact.  
Carcinogenic effects no data available  
Mutagenicity no data available  
Reproduction toxicity no data available

### 11.2 Additional information

Other information (chapter 11.) No toxicology information is available.

**Safety Data Sheet as per regulation (EC) 1907/2006**

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

**FOLMANN**

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

Replaces version from : 13.04.2016

Print date : 11.11.2016

**SECTION 12: Ecological information****12.1 Toxicity****Hazardous ingredients****1,2-BENZISOTHIAZOL-3(2H)-ONE**

Toxicity to fish [mg/l]	Test criterion	Test species	Exposure duration	Source
2,18 mg/l	LC50	Oncorhynchus mykiss (rainbow trout)	96h	72

Source : 72 – Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung Kennzeichnung und Verpackung von Stoffen und Gemischen (Tab. 3.1)

Toxicity to daphnia [mg/l]	Test criterion	Test species	Exposure duration	Source
2,94 mg/l	EC 50	Daphnia magna (Water flea)	48 h	100

Source : 100 – Firmendaten

Toxicity to algae [mg/l]	Test criterion	Test species	Exposure duration	Source
0,11 mg/l	ErC50	Pseudokirchneriella subcapitata	72 h	100

Source : 100 – Firmendaten

**12.5 Results of PBT and vPvB assessment**

Results of PBT characteristics determination      This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

**12.6 Other adverse effects**

Further information on ecology      We have no quantitative data concerning the ecological effects of this product.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Disposal considerations      According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The following Waste Codes are only suggestions:

Waste Code      08 01 12: waste paint and varnish other than those mentioned in 08 01 11  
08 03 13: waste ink other than those mentioned in 08 03 12

Uncleaned empty packaging      -

-

**SECTION 14: Transport information**

	*Land transport ADR/RID	*Marine transport IMDG	*Air transport ICAO/IATA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	Non dangerous good	Non dangerous good	Non dangerous good IATA
14.2 UN proper shipping name		Non dangerous good	Non dangerous good
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 902 EFFEKTBINDEMITTEL FOLCO AQUAFLEX FTD

Article-No. : 15690-003

Revision Date : 08.07.2016

Version : 2.0 /en

**FOLMANN**

Replaces version from : 13.04.2016

Print date : 11.11.2016

	*Land transport ADR/RID	*Marine transport IMDG	*Air transport ICAO/IATA
14.5 Environmental hazards	Not applicable.	Not applicable.	Not applicable.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations Additionally, observe any national regulations!

## SECTION 16: Other information

Relevant H-phrases EUH208: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
EUH210: Safety data sheet available on request.  
H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H400: Very toxic to aquatic life.  
H411: Toxic to aquatic life with long lasting effects.

Wording of the hazard classes Acute Tox.: Acute toxicity  
Skin Irrit.: Skin irritation  
Eye Dam.: Serious eye damage  
Skin Sens.: Skin sensitization  
Aquatic Acute: Hazardous to the aquatic environment  
Aquatic Chronic: Hazardous to the aquatic environment

Modifications since last version Modifications of the previous version are denoted with an asterisk (\*).

Department issuing safety data sheet Environmental Department

Further information Full text of R-phrases referred to under sections 2 and 3

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.