

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Commercial Product Name FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX FTD

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses printing ink

### 1.3 Details of the supplier of the safety data sheet

Address Follmann GmbH & Co. KG  
Postfach 12 63  
D-32372 Minden  
Telephone : +49 (571) 93 39 -0  
FAX : +49 (571) 93 39 -300

Responsible Department Environmental Department +49 (571) 9339-176

E-mail (competent person) sicherheitsdatenblatt@follmann.de

### 1.4 Emergency telephone number

Emergency telephone number Outside USA: -001 703 527 3887 (D813)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 This product is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] The product does not have to be labelled according to Regulation (EC) No. 1272/2008 [CLP].

### Further information

EUH208: Contains 1,2-benzisothiazol-3(2H)-one; Gemisch aus: 5-Chlor-2-methyl-2H-isothiazol-3-on [EG-Nr. 247-500-7] und 2-Methyl-2H-isothiazol-3-on [EG-Nr. 220-239-6] (3:1). May produce an allergic reaction.

EUH210: Safety data sheet available on request.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixture

Chemical characterization Acrylat

### Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concentration
1,2-benzisothiazol-3(2H)-one	CAS No. : 2634-33-5 EC-No. : 220-120-9 Index-No. : 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	< 0.01 % by weight
mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS No. : 55965-84-9 2682-20-4 26172-55-4 Index-No. : 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.01 % by weight

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

General advice	Move out of dangerous area. Take off all contaminated clothing immediately. Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance.
In case of skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation occurs, seek medical advice/attention.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

Suitable extinguishing media	Carbon dioxide (CO <sub>2</sub> ), Foam, Water spray, Dry powder
Extinguishing media which must not be used for safety reasons	High volume water jet

### **5.2 Special hazards arising from the substance or mixture**

Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases	Hazardous decomposition products formed under fire conditions. Exposure to decomposition products may be a hazard to health.
---	--

### **5.3 Advice for firefighters**

Special protective equipment for firefighting	In the event of fire, wear self-contained breathing apparatus.
Additional information on firefighting	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Do not allow run-off from fire fighting to enter drains or water courses. The product itself does not burn.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions	Use personal protective equipment.
----------------------	------------------------------------

### **6.2 Environmental precautions**

Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.
---------------------------	--

### **6.3 Methods and material for containment and cleaning up**

Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated surface thoroughly.
-------------------------	---

### **6.5 Additional information**

Other information	Treat recovered material as described in the section "Disposal considerations".
-------------------	---

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Advice on safe handling	Handle and open container with care. Avoid contact with skin and eyes.
Precautions	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Observe label precautions.
Advice on protection against fire and explosion	No special protective measures against fire required.

### **7.2 Conditions for safe storage, including any incompatibilities**

Storage space and container requirements	Keep in properly labelled containers. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage specifications	Protect from frost.
TRGS 510	12
Recommended storage temperature	5 - 25 °C

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **8.2 Exposure controls**

Respiratory protection	Note: Should no job-related limit values are indicated, the product, which a monitoring exposure limit is allocated, do not contains ingredients in relevant concentrations. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
Hand protection	Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  Suitable material : Nitriles Unsuitable material : woven fabric, Leather gloves
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear suitable protective equipment. Long sleeved clothing
General protective and hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and at the end of workday. Use protective skin cream before handling the product. Avoid contact with the skin and the eyes.

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

Physical state	liquid
Form	Liquid
Colour	milky
Odour	characteristic
pH	approx. 7 - 9

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

Melting point [°C] / Freezing point [°C]	ca.0 °C
Boiling point [°C]	appr. 100 °C
Evaporation rate [kg/(s*m <sup>2</sup> )]	not determined
Vapour pressure [kPa]	123 hPa
Temperature :	50 °C
Vapour density	not determined
Density [g/cm <sup>3</sup> ]	appr. 0,9 - 1,2 g/cm <sup>3</sup>
Water solubility [g/l]	
Remarks :	miscible
Partition coefficient n-octanol /water (log P O/W)	not determined
Autoignition temperature [°C]	not determined
Explosive properties	Not relevant
Oxidising properties	Not relevant
<b>9.2 Other information</b>	
Flow time [s]	50 - 80 sec
Measuring method :	DIN cup 4 mm

## **SECTION 10: Stability and reactivity**

### **10.4 Conditions to avoid**

Conditions to avoid                                      None under normal processing.

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

#### **Hazardous ingredients**

##### **1,2-BENZISOTHIAZOL-3(2H)-ONE**

Oral toxicity [mg/kg]	Test criterion	Test species	Source
1193 mg/kg	LD50	rat	100

Source : 100 - Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
4115 mg/kg	LD50	rat	100

Source : 100 - Firmendaten

Irritant effect on skin	Skin irritation
Irritant effect on eyes	Risk of serious damage to eyes.
Sensitization	May cause sensitization by skin contact.
Carcinogenic effects	no data available
Mutagenicity	no data available
Reproduction toxicity	no data available

**Safety Data Sheet as per regulation (EC) 1907/2006**

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

**GEMISCH AUS 5-CHLOR-2-METHYL-2H-ISOTHIAZOL-3-ON UND 2-METHYL-2H-ISOTHIAZOL-3-ON (3:1)**

Oral toxicity [mg/kg]	Test criterion	Test species	Measuring method	Source
2131 mg/kg	LD50	rat	OECD Test Guideline 401	100

Source : 100 – Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
660 mg/kg	LD50	rabbit	100

Source : 100 – Firmendaten

Inhalative toxicity [mg/l]	Test criterion	Test species	Exposure duration	Source
0,33 mg/l	LC50	rat	4 hours	100

Source : 100 – Firmendaten

Irritant effect on skin	corrosive effects
Test species	rabbit
Irritant effect on eyes	irritating
Test species	rabbit
Sensitization	Causes sensitization.
Test species	guinea pig

**11.2 Additional information**

Other information (chapter 11.) No toxicology information is available.

**SECTION 12: Ecological information****12.1 Toxicity****Hazardous ingredients****1,2-BENZISOTHIAZOL-3(2H)-ONE**

Toxicity to fish [mg/l]	Test criterion	Test species	Exposure duration	Source
2,18 mg/l	LC50	Oncorhynchus mykiss (rainbow trout)	96h	72

Source : 72 – Verordnung (EG) Nr. 1272/2008 des Europäischen Parlaments und des Rates vom 16. Dezember 2008 über die Einstufung Kennzeichnung und Verpackung von Stoffen und Gemischen (Tab. 3.1)

Toxicity to daphnia [mg/l]	Test criterion	Test species	Exposure duration	Source
2,94 mg/l	EC 50	Daphnia magna (Water flea)	48 h	100

Source : 100 – Firmendaten

Toxicity to algae [mg/l]	Test criterion	Test species	Exposure duration	Source
0,11 mg/l	ErC50	Pseudokirchneriella subcapitata	72 h	100

Source : 100 – Firmendaten

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

## GEMISCH AUS 5-CHLOR-2-METHYL-2H-ISOTHIAZOL-3-ON UND 2-METHYL-2H-ISOTHIAZOL-3-ON (3:1)

Toxicity to fish [mg/l]	Source
0,28 mg/l	100

Source : 100 – Firmendaten

Toxicity to daphnia [mg/l]	Source
0,16 mg/l	100

Source : 100 – Firmendaten

### 12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination      This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

### 12.6 Other adverse effects

Further information on ecology      We have no quantitative data concerning the ecological effects of this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Disposal considerations      According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The following Waste Codes are only suggestions:

Waste Code      08 01 12: waste paint and varnish other than those mentioned in 08 01 11  
08 03 13: waste ink other than those mentioned in 08 03 12

Uncleaned empty packaging      -  
-

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.2 Description of the goods	Non dangerous good	Non dangerous good IATA	Non dangerous good IATA
14.2 UN proper shipping name		Non dangerous good	Non dangerous good

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code      Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations      Additionally, observe any national regulations!

## SECTION 16: Other information

Relevant H-phrases      EUH208: Contains 1,2-Benzisothiazol-3(2H)-on; Gemisch aus: 5-Chlor-2-methyl-2H-isothiazol-3-on [EG-Nr. 247-500-7] und 2-Methyl-2H-isothiazol-3-on [EG-Nr. 220-239-6] (3:1). May produce an allergic reaction.  
EUH210: Safety data sheet available on request.  
H301: Toxic if swallowed.

# Safety Data Sheet as per regulation (EC) 1907/2006

Commercial Product Name : FTD 9023 GLIMMERVERSCHNITT FOLCO AQUAFLEX

**FOLMANN**

FTD

Article-No. : 15690-007

Revision Date : 24.09.2015

Version : 1 /en

Replaces version from : 24.09.2015

Print date : 30.10.2015

	H302: Harmful if swallowed. H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H331: Toxic if inhaled. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.
Wording of the hazard classes	Acute Tox.: Acute toxicity Skin Irrit.: Skin irritation Eye Dam.: Serious eye damage Skin Sens.: Skin sensitization Aquatic Acute: Hazardous to the aquatic environment Aquatic Chronic: Hazardous to the aquatic environment Skin Corr.: Skin corrosion
Department issuing safety data sheet	Environmental Department
Further information	Full text of R-phrases referred to under sections 2 and 3
This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.	