

<u>he substance/mixture and of the company/undertaking</u>
K-RSD 5052 matt transparent FOLCO SOL K-RSD
substance or mixture and uses advised against
wallpaper
fety data sheet
Follmann GmbH & Co. KG Postfach 12 63 D-32372 Minden Telephone : +49 (571) 93 39 -0 FAX : +49 (571) 93 39 -300
Environmental Department +49 (571) 9339-176
sicherheitsdatenblatt@follmann.de
Outside USA: -001 703 527 3887 (D813)
ation
or mixture
This product is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].
The product does not have to be labelled according to Regulation (EC) No. 1272/2008 [CLP].
EUH208: Contains isodecyl-diphenyl-phosphite. May produce an allergic re- action. EUH210: Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

3.2 Mixture

Chemical characterization

Dispersion of polyvinylchloride in plasticizer

Hazardous ingredients

Ingredient		Classification (EC) 1272/2008	Concentration
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EC-No. : 918-481-9 REACH No. : 01-2119457273-39	Asp. Tox. 1; H304	1.0 – 5.0 % by weight
Alkylarylphosphit	CAS No. : 26544-23-0 EC-No. : 247-777-4	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	0.1 – 1.0 % by weight

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Move out of dangerous area. Take off all contaminated clothing immediately. Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance.

Safety Data Sheet as per re Commercial Product Name : K-RSD 50 Article-No. : 17060-113	gulation (EC) 1907/2006 D52 matt transparent FOLCO SOL K-RSD
Revision Date : 25.09.2015 Version : 1 /en	Replaces version from : 28.07.201 Print date : 30.10.201
In case of skin contact	Wash off immediately with soap and plenty of water while removing all con- taminated clothes and shoes. If skin irritation occurs, seek medical advice/at- tention.
In case of eye contact	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	Rinse mouth.Do NOT induce vomiting.Call a physician immediately.
SECTION 5: Firefighting meas	ures
5.1 Extinguishing media	
Suitable extinguishing media	Carbon dioxide (CO2), Foam, Water spray, Dry powder
Extinguishing media which must not be used for safety reasons	High volume water jet
5.2 Special hazards arising from the	e substance or mixture
Special exposure hazards arising from the substance or preparation itself, its combustion products, or released gases	Hazardous decomposition products formed under fire conditions. Exposure to decomposition products may be a hazard to health. Gaseous hydrogen chloride (HCI).
5.3 Advice for firefighters Special protective equipment for firefighting	In the event of fire, wear self-contained breathing apparatus.
Additional information on firefight- ing	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.Do not allow run-off from fire fighting to enter drains or water courses.
SECTION 6: Accidental release	e measures
6.1 Personal precautions, protective	equipment and emergency procedures
Personal precautions	Use personal protective equipment.
6.2 Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.
6.3 Methods and material for contai	nment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, uni- versal binder, sawdust). Clean contaminated surface thoroughly.
6.5 Additional information	
Other information	Treat recovered material as described in the section "Disposal considera- tions".
SECTION 7: Handling and stor	rage
7.1 Precautions for safe handling	
Advice on safe handling	Handle and open container with care. Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Provide appropriate exhaust ventilation at machinery.
Precautions	Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Observe label precautions.

Safety Data Sheet as per re Commercial Product Name : K-RSD 5 Article-No. : 17060-113	gulation (EC) 1907/2006 D52 matt transparent FOLCO SOL K-RSD	FOL/MANN
Revision Date : 25.09.2015 Version : 1 /en		Replaces version from : 28.07.2015 Print date : 30.10.2015
7.2 Conditions for safe storage, incl	uding any incompatibilities	
Storage space and container re- quirements	Keep in properly labelled containers.Conta carefully resealed and kept upright to prev	
TRGS 510	10	
Recommended storage temperature	0 – 30 °C	
SECTION 8: Exposure controls	s/personal protection	
8.1 Control parameters The product does not contain a at the workplace.	ny relevant quantities of materials with critic	cal values that have to be monitored
8.2 Exposure controls		
Respiratory protection	Note: Should no job-related limit values an monitoring exposure limit is allocated, do concentrations. Use the indicated respiratory protection if exceeded and/or in case of product releas	not contains ingredients in relevant the occupational exposure limit is
Hand protection	Protective gloves complying with EN 374.P garding permeability and breakthrough tir plier of the gloves. Also take into consider under which the product is used, such as t the contact time.	ne which are provided by the sup- ation the specific local conditions
Suitable material :	Nitriles	
Unsuitable material :	woven fabric, Leather gloves	
Eye protection	Tightly fitting safety goggles	
Skin and body protection	Wear suitable protective equipment. Long	sleeved clothing
General protective and hygiene measures	Handle in accordance with good industrial away from food, drink and animal feeding and at the end of workday. Use protective product. Avoid contact with the skin and t	stuffs. Wash hands before breaks skin cream before handling the

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	Paste
Colour	transparent
Odour	characteristic
Flash point [°C]	> 100 °C
Evaporation rate [kg/(s*m²)]	not determined
Vapour density	not determined
Density [g/cm³]	approx. 1,16 g/cm ³
Temperature :	20 °C
Partition coefficient n-octanol /wa- ter (log P O/W)	not determined
Autoignition temperature [°C]	not determined



Replaces version from : 28.07.2015 Print date : 30.10.2015

Viscosity, dynamic [kg/(m*s)]	approx. 2500 – 3300 mPas*s
Temperature :	20 °C
Measuring method :	Haake-Viscotester
Explosive properties	Not relevant
Oxidising properties	Not relevant

SECTION 10: Stability and reactivity

10.4 Conditions to avoid

Conditions to avoid Hazardous decomposition products may be produced when the recommended processing temperatures or times are exceeded.

10.5 Incompatible materials Materials to avoid

Oxidizing agents (strong)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Hazardous ingredients

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Oral toxicity [mg/kg]	Test criterion	Test species	Source
>2001	LD50	rat	13
Source : 13 - TPCS 000			

Source : 13 - TRGS 900

Dermal toxicity [mg/kg]	Test criterion	Test species	Source
>2001	LD50	rabbit	13

Source : 13 - TRGS 900

Inhalative toxicity [mg/]	Test criterion	Test species	Note	Source
>5,1	LD50		Saturated vapour con- centration	100

Source : 100 - Firmendaten

Irritant effect on skin	No skin irritation Repeated exposure may cause skin dryness or cracking.
Irritant effect on eyes	No eye irritation

Sensitization No known effect.

Alkylarylphosphit

Oral toxicity [mg/kg]	Test criterion	Test species	Remarks	Source
> 4000 mg/kg	LD50	rat	Value taken from the	100
			literature	

Source : 100 - Firmendaten

Dermal toxicity [mg/kg]	Test criterion	Test species	Duration	Remarks	Source
> 5000 mg/kg	LD50	rabbit	24 h	Value taken from the literature	100



Source : 100 - Firmendaten

Inhalative toxicity [mg/l]	Test criterion	Test species	Note	Exposure duration	Source
> 8,4 mg/l	LD50		Value taken from the literature	1 h	100

Source : 100 - Firmendaten

Irritant effect on skin	Mild skin irritation
Measuring method	Draize Test
Remarks	Value taken from the literature
Irritant effect on eyes	Mild eye irritation
Measuring method	Draize Test
Remarks	Value taken from the literature
Mutagenicity	negative
Measuring method	In vitro methods
Remarks	Value taken from the literature

11.2 Additional information

Other information (chapter 11.) No toxicology information is available.

SECTION 12: Ecological information

12.1 Toxicity

Hazardous ingredients

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Toxicity to fish [mg/l]	Test criterion	Source
>1001	LC50	13

Source : 13 - TRGS 900

Toxicity to daphnia [mg/l]	Test criterion	Source
>1001	LC50	13
Source : 13 - TRGS 900		

Toxicity to algae [mg/l]Test criterionSource>1001LC5013

Source : 13 - TRGS 900

Biodegradability	Inherently biodegradable.		
Remarks	estimated		
Bioaccumulation	Bioaccumulative potential		

Alkylarylphosphit

Toxicity to fish [mg/l]	Test criterion	Exposure duration	Remarks	Source
> 16 mg/l	LC50	96 h	Value taken from the literature	100

Source : 100 - Firmendaten

Safety Data Sheet as per regulation (EC) 1907/2006 Commercial Product Name : K-RSD 5052 matt transparent FOLCO SOL K-RSD Article-No. : 17060-113 Revision Date : 25.09.2015 Version : 1 /en



Toxicity to daph- nia [mg/l]	Test criterion EC 50		Test species Daphnia magna (Water flea)		Exposure duration 48 h		Remarks Value taken from the literature	Source	
5 mg/l									
Source : 100 – Firmenda	aten								·
Toxicity to algae [r	ng/l]	Test o	riterion		Exposur	e duration	Rem	arks	Source
1,6 mg/l			72 h				ie taken from the ature	100	
Source : 100 – Firmenda	aten								
Biodegradability			1,31%						
Reference substance			Information given is based on data obtained from similar sub- stances.						
Evaluation	Evaluation		Not inherently biodegradable.						
.5 Results of PBT and v	PvB a	ssess	ment						
sults of PBT characteristics deter- nation		This preparation contains no substance considered to be persistent, bioaccu- mulating nor toxic (PBT).							
.6 Other adverse effect	s								
rther information on ecology			We have no quantitative data concerning the ecological effects of this prod-uct.						
CTION 13: Disposa	l co	nside	rations	<u>5</u>					
.1 Waste treatment me	thods								
isposal considerations			According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The following Waste Codes are only sugge tions:						
aste Code	ste Code		07 02 08*: other still bottoms and reaction residues						
cleaned empty packaging			-						
			-						

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG	Air transport ICAO/IATA
14.2 Description of the	Non dangerous good	Non dangerous good	Non dangerous good IATA
goods			
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureAdditional regulationsAdditionally, observe any national regulations!



SECTION 16: Other information

Relevant H-phrases	EUH208: Contains Alkylarylphosphit. May produce an allergic reaction. EUH210: Safety data sheet available on request. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H411: Toxic to aquatic life with long lasting effects.
Wording of the hazard classes	Skin Irrit.: Skin irritation Skin Sens.: Skin sensitization Aquatic Chronic: Hazardous to the aquatic environment
Department issuing safety data sheet	Environmental Department
Further information	Full text of R-phrases referred to under sections 2 and 3

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.