

| SECTION 1: Identification of t   | he substance/mixture and of the company/undertaking   |  |  |  |
|--|---|--|--|--|
| 1.1 Product identifier   |   |  |  |  |
| Commercial Product Name  | S-RSD 2067/14 FOLCO SOL S-RSD   |  |  |  |
| <b>1.2 Relevant identified uses of the s</b><br>Relevant identified uses | substance or mixture and uses advised against<br>wallpaper  |  |  |  |
| <b>1.3 Details of the supplier of the sat</b><br>Address                 | fety data sheet<br>Follmann GmbH & Co. KG<br>Postfach 12 63<br>D-32372 Minden<br>Telephone : +49 (571) 93 39 -0<br>FAX : +49 (571) 93 39 -300   |  |  |  |
| Responsible Department   | Environmental Department +49 (571) 9339-176   |  |  |  |
| E-mail (competent person)  | sicherheitsdatenblatt@follmann.de   |  |  |  |
| <b>1.4 Emergency telephone number</b><br>Emergency telephone number      | Outside USA: -001 703 527 3887 (D813)   |  |  |  |
| SECTION 2: Hazards identification  |   |  |  |  |
| 2.1 Classification of the substance of                                   | or mixture  |  |  |  |
| Classification according to Regula-<br>tion (EC) No. 1272/2008           | Resp. Sens. 1; H334   |  |  |  |
| 2.2 Label elements   |   |  |  |  |
| Hazard pictogram   |   |  |  |  |
|  | GHS08   |  |  |  |
| Signal word  | Danger  |  |  |  |
| Hazardous component(s) to be indi-<br>cated on label                     | C , C'-azodi(formamide)   |  |  |  |
| H-statement(s)   | H334: May cause allergy or asthma symptoms or breathing difficulties if in-<br>haled.   |  |  |  |
| P-statement(s)   | P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a po-<br>sition comfortable for breathing.<br>P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or<br>doctor/physician. |  |  |  |
| SECTION 3: Composition/info  | ormation on ingredients   |  |  |  |

## 3.2 Mixture

Chemical characterization

polyvinylchloride compounded with plasticizer and blowing agent



## Hazardous ingredients

| Ingredient            |   | Classification (EC) 1272/2008 | SVHC | Concentration            |
|-----------------------|---|-------------------------------|------|--------------------------|
| C,C'-azodi(formamide) | CAS No. : 123-77-3<br>EC-No. : 204-650-8<br>Index-No. :<br>611-028-00-3<br>REACH No. :<br>01-2119493056-35-XXXX | Resp. Sens. 1; H334           | ✓    | 1.0 – 5.0 % by<br>weight |

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

| General advice          | Move out of dangerous area.Take off all contaminated clothing immediately.<br>Do not leave the victim unattended.Show this safety data sheet to the doctor<br>in attendance. |
|-------------------------|--|
| In case of skin contact | Wash off immediately with soap and plenty of water while removing all con-<br>taminated clothes and shoes. If skin irritation occurs, seek medical advice/at-<br>tention.    |
| In case of eye contact  | In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  |
| If swallowed            | Rinse mouth.Do NOT induce vomiting.Call a physician immediately.   |

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

| Suitable extinguishing media                                  | Carbon dioxide (CO2), Foam, Water spray, Dry powder |
|---|---|
| Extinguishing media which must not be used for safety reasons | High volume water jet                               |

### 5.2 Special hazards arising from the substance or mixture

| · · · · · · · · · · · · · · · · · · ·  |   |
|--|---|
| Special exposure hazards arising<br>from the substance or preparation<br>itself, its combustion products, or<br>released gases | Gaseous hydrogen chloride (HCl).<br>Hazardous decomposition products formed under fire conditions. Exposure<br>to decomposition products may be a hazard to health. |
| 5.3 Advice for firefighters  |   |

#### 5.3 Advice for firefighters

| Special protective equipment for firefighting | In the event of fire, wear self-contained breathing apparatus.   |
|---|--|
| Additional information on firefight-<br>ing   | Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.Do not allow run-off from fire fighting to enter drains or water courses. |

# **SECTION 6: Accidental release measures**

| 6.1 Personal precautions, protective equipment and emergency procedures |  |  |
|---|--|--|
| Personal precautions  | Use personal protective equipment.   |  |
| 6.2 Environmental precautions   |  |  |
| Environmental precautions   | Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. |  |
|   |  |  |

#### 6.3 Methods and material for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated surface thoroughly.



|  | Treat recovered material as described in the section "Disposal considera-<br>tions".   |  |  |  |
|--|--|--|--|--|
| 6.4 Reference to other sections                                  |  |  |  |  |
| Reference to other sections                                      | Disposal considerations See also section 13  |  |  |  |
| SECTION 7: Handling and storage                                  |  |  |  |  |
| 7.1 Precautions for safe handling                                |  |  |  |  |
| Advice on safe handling  | Do not breathe vapours or spray mist.<br>Provide appropriate exhaust ventilation at machinery.<br>Handle and open container with care. Avoid contact with skin and eyes. |  |  |  |
| Precautions  | Smoking, eating and drinking should be prohibited in the application area.<br>For personal protection see section 8. Observe label precautions.                          |  |  |  |
| Advice on protection against fire and explosion                  | No special protective measures against fire required.  |  |  |  |
| 7.2 Conditions for safe storage, including any incompatibilities |  |  |  |  |
| Storage space and container re-<br>quirements                    | Keep in properly labelled containers.Containers which are opened must be carefully resealed and kept upright to prevent leakage.   |  |  |  |
| Storage specifications   | Protect from frost.  |  |  |  |
| TRGS 510   | 10   |  |  |  |
|  |  |  |  |  |

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## C,C'-AZODI(FORMAMID)

Recommended storage temperature 0 - 30 °C

| DNEL |
|------|
|------|

| Value       | Target group | Exposure route | Exposure frequency     | Source |
|-------------|--------------|----------------|------------------------|--------|
| 10,58 mg/kg | Workers      | inhale         | Long term effects sys- | 100    |
|             |              |                | temic                  |        |
| 8,0         | Workers      | dermal         | Long term effects sys- | 100    |
|             |              |                | temic                  |        |

Source : 100 - Firmendaten

## NAPHTHA (PETROLEUM) HYDRODESULFURIZED HEAVY

DNEL

| Value                 | Target group | Exposure route | Exposure frequency              | Source |
|-----------------------|--------------|----------------|---------------------------------|--------|
| 330 mg/m <sup>3</sup> | Workers      | Inhalation     | Long term effects sys-<br>temic | 100    |
| 44 mg/kg              | Workers      | Skin           | Long term effects sys-<br>temic | 100    |
| 71 mg/kg              | Consumers    | Inhalation     | Long term effects sys-<br>temic | 100    |
| 26 mg/kg              | Consumers    | Skin           | Long term effects sys-<br>temic | 100    |

Source : 100 - Firmendaten

#### 8.2 Exposure controls

Respiratory protection

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).



|   | Note: Should no job-related limit values are indicated, the product, which a monitoring exposure limit is allocated, do not contains ingredients in relevant concentrations.   |
|---|--|
| Hand protection                         | Protective gloves complying with EN 374.Please observe the instructions re-<br>garding permeability and breakthrough time which are provided by the sup-<br>plier of the gloves. Also take into consideration the specific local conditions<br>under which the product is used, such as the danger of cuts, abrasion, and<br>the contact time. |
| Unsuitable material :                   | woven fabric, Leather gloves   |
| Suitable material :                     | Nitriles   |
| Eye protection                          | Tightly fitting safety goggles   |
| Skin and body protection                | Wear suitable protective equipment. Long sleeved clothing  |
| General protective and hygiene measures | Handle in accordance with good industrial hygiene and safety practice. Keep<br>away from food, drink and animal feedingstuffs. Wash hands before breaks<br>and at the end of workday. Use protective skin cream before handling the<br>product. Avoid contact with the skin and the eyes.  |

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

| Physical state  | liquid                        |
|---|-------------------------------|
| Form  | paste                         |
| Colour  | white                         |
| Odour   | characteristic                |
| рН  | not applicable                |
| Melting point [°C] / Freezing point<br>[°C]             | not applicable                |
| Boiling point [°C]                                      | not applicable                |
| Flash point [°C]  | > 100 °C                      |
| Evaporation rate [kg/(s*m²)]                            | not determined                |
| Vapour pressure [kPa]                                   | not applicable                |
| Vapour density  | not determined                |
| Density [g/cm <sup>3</sup> ]                            | 1,52 – 1,54 g/cm <sup>3</sup> |
| Temperature :   | 20 °C                         |
| Partition coefficient n-octanol /wa-<br>ter (log P O/W) | not determined                |
| Autoignition temperature [°C]                           | not determined                |
| Viscosity, dynamic [kg/(m*s)]                           | 6.000 - 9.000 mPas*s          |
| Temperature :   | 20 °C                         |
| Measuring method :                                      | Haake-Viscotester             |
| Explosive properties                                    | Not relevant                  |
| Oxidising properties                                    | Not relevant                  |
| 9.2 Other information                                   |                               |
| Ignition temperature [°C]                               | not applicable                |



## **SECTION 10: Stability and reactivity**

#### 10.4 Conditions to avoid

| Conditions to avoid         | Hazardous decomposition products may be produced when the recommend-<br>ed processing temperatures or times are exceeded. |
|-----------------------------|---|
| 10.5 Incompatible materials |   |
| Materials to avoid          | Oxidizing agents (strong)   |

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Hazardous ingredients

#### C,C'-AZODI(FORMAMID)

| Oral toxicity [mg/kg] | Test criterion | Test species | Source |
|-----------------------|----------------|--------------|--------|
| >5000 mg/kg           | LD50           | rat          | 100    |
|                       |                |              |        |

Source : 100 - Firmendaten

| Dermal toxicity [mg/kg]  | Test criterion | Test species | Source |
|--------------------------|----------------|--------------|--------|
| >2000 mg/kg              | LD50           | rabbit       | 100    |
| Source : 100 Eirmondaton |                |              |        |

Source : 100 - Firmendaten

| Inhalative toxicity [mg/l] | Test criterion | Test species | Source |
|----------------------------|----------------|--------------|--------|
| >0,52 mg/l                 | LC50           | rat          | 100    |
| Source : 100 - Eirmendaten |                |              |        |

Source : 100 - Firmendaten

## 11.2 Additional information

Other information (chapter 11.)

No toxicology information is available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Hazardous ingredients

### C,C'-AZODI(FORMAMID)

| Toxicity to fish [mg/l] | Test criterion | Test species                    | Exposure duration | Source |
|-------------------------|----------------|---------------------------------|-------------------|--------|
| 50 mg/l                 | LC50           | Carassius auratus<br>(goldfish) | 96 h              | 100    |

Source : 100 - Firmendaten

| Toxicity to daphnia [mg/l] | Test criterion | Source |
|----------------------------|----------------|--------|
| 12 mg/l                    | LC50           | 100    |

Source : 100 - Firmendaten

Biodegradability Biode

Biodegradable.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT characteristics determination

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).



## 12.6 Other adverse effects

Further information on ecology

We have no quantitative data concerning the ecological effects of this product.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

| Disposal considerations   | According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The following Waste Codes are only sugges-tions: |
|---------------------------|---|
| Waste Code                | 07 02 08* other still bottoms and reaction residues   |
| Uncleaned empty packaging | -   |
|                           | _   |

# **SECTION 14: Transport information**

|                                 | Land transport ADR/RID | Marine transport IMDG | Air transport ICAO/IATA |
|---------------------------------|------------------------|-----------------------|-------------------------|
| 14.1 UN-No                      | Not applicable.        | Not applicable.       | Not applicable.         |
| 14.2 Description of the goods   | Non dangerous good     | Non dangerous good    | Non dangerous good IATA |
| 14.2 UN proper shipping         |                        | Non dangerous good    | Non dangerous good      |
| name                            |                        |                       |                         |
| 14.3 Transport hazard class(es) | Not applicable.        | Not applicable.       | Not applicable.         |
| 14.4 Packaging group            | Not applicable.        | Not applicable.       | Not applicable.         |
| 14.5 Environmental haz-<br>ards | Not applicable.        | Not applicable.       | Not applicable.         |

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to An- Not relevant nex II of MARPOL73/78 and the IBC Code

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Additional regulations Additionally, observe any national regulations!

# **SECTION 16: Other information**

| Relevant H-phrases                      | H334: May cause allergy or asthma symptoms or breathing difficulties if in-<br>haled. |            |  |
|---|---|------------|--|
| Wording of the hazard classes           | Resp. Sens.: Respiratory sensitization  |            |  |
| Classification for mixtures and used    | Classification  | evaluation |  |
| evaluation method according to          | Resp. Sens. 1; H334   |            |  |
| regulation (EC) 1272/2008 [CLP]         |   |            |  |
| Department issuing safety data sheet    | Environmental Department  |            |  |
| Further information                     | Full text of R-phrases referred to under sections 2 and 3                             |            |  |
| Modifications of the previous version a | are denoted with an asterisk (*).   |            |  |



This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.